



# Interactive Theorem Proving using Isabelle/HOL

## Session 4

René Thiemann

Department of Computer Science

- Calculational Reasoning
- Proofs by Induction Revisited
- Controlling the Proof State and Isabelle's Simplifier

RT (DCS @ UIBK)

session 4

2/20

## Calculational Reasoning

Calculational Reasoning

### Aim: Support Proofs with Chains of (In)Equalities

$$a = b \leq c = d < e = f \quad \hookrightarrow \quad a < f$$

### Solution: Combination of (In)Equalities by Transitivity

`also` – first occurrence in chain initializes auxiliary fact calculation to `this`; further occurrences combine calculation and `this` via transitivity and update calculation accordingly

### Concluding a Chain of Transitive Combinations

`finally` – combine calculation and `this` via transitivity and update `this` accordingly

### Also Useful for Calculational Reasoning

- implicit term abbreviation “...” refers to previous right-hand side of (in)equality
- method “.” tries to prove current subgoal by assumption

RT (DCS @ UIBK)

session 4

4/20

### Example

```

fun sum :: "nat ⇒ nat" where
  "sum 0 = 0"
| "sum (Suc n) = Suc n + sum n"

lemma "sum n = n * (n + 1) div 2"
proof (induction n)
  case IH: (Suc n)
  have "sum (Suc n) = (n + 1) + sum n" by auto
  also have "... = (n + 1) + (n * (n + 1)) div 2" using IH by auto
  also have "... = (2 * (n + 1) + (n * (n + 1))) div 2" by auto
  also have "... = ((2 + n) * (n + 1)) div 2" by auto
  also have "... = (Suc n * (Suc n + 1)) div 2" by auto
  finally show ?case .
qed simp

```

### Further Remarks

- calculational reasoning works with several relations, e.g., (=), (≤), (<), (⊆) and (⊃)
- calculational reasoning does not work with flipped relations such as (>); (>) is just an abbreviation of  $\lambda x y. y < x$ 

```

have "a > b" <proof>           have "b < a" <proof>
also have "... > c" <proof>    also have "c < ..." <proof>
finally (* fails *)           finally (* here you see why *)

```
- calculational reasoning with equality supports contexts

```

have "a = f b" <proof>         have "a ≤ b + c" <proof>
also have "b = c" <proof>     also have "c ≤ d" <proof>
also have "f ... = d" <proof> finally have "a ≤ b + d" .
finally have "a = d" .       (* fails *)

```

## Proofs by Induction Revisited

### Example Induction Proof of Last Week – Reversing a List Twice

```

lemma rev_rev[simp]: "reverse (reverse xs) = xs"
proof (induction xs)
  case (Cons x xs)
  then show ?case
    by (auto simp: rev_app)
qed auto

```

### Approach

- state variable on which induction should be applied
- choose own variable names for each case
- identify and add auxiliary lemmas on demand
- solve trivial cases via `qed auto`
- not everything explained: usage of arbitrary variables and preconditions

## Motivation – Fast Implementation of List Reversal

```
fun rev_it :: "'a list ⇒ 'a list ⇒ 'a list" where
  "rev_it [] ys = ys"
| "rev_it (x # xs) ys = rev_it xs (x # ys)"
```

```
fun fast_rev :: "'a list ⇒ 'a list" where
  "fast_rev xs = rev_it xs []"
```

```
lemma fast_rev: "fast_rev xs = reverse xs"
```

### First Problem

- core property is  $\text{rev\_it } xs [] = \text{reverse } xs$
- induction on  $xs$  yields problematic subgoal: 2nd arguments of  $\text{rev\_it}$  differ!  
 $\text{rev\_it } xs [] = \text{reverse } xs \implies \text{rev\_it } xs [x] = \text{reverse } xs @ [x]$   
 (minor non-relevant change: in the definition of  $\text{reverse}$  we replaced  $\text{append}$  by Isabelle's predefined  $\text{append}$  function ( $@$ ))

## Solving First Problem

- core property is  $\text{rev\_it } xs [] = \text{reverse } xs$
- proving this property by induction leads to an IH which is too weak: 2nd argument of  $\text{rev\_it}$  is no longer  $[]$  in subgoal
- solution: **generalize** property  
 $\text{rev\_it } xs ys = \text{reverse } xs @ ys$  (creativity required)

### Second Problem

- still the induction proofs fails on (simplified) subgoal  
 $\text{rev\_it } xs ys = \text{reverse } xs @ ys$   
 $\implies \text{rev\_it } xs (x \# ys) = \text{reverse } xs @ x \# ys$
- the 2nd arguments of  $\text{rev\_it}$  still differ  
 (in particular the 2nd argument of  $\text{rev\_it}$  in the IH is still the original  $ys$ )
- aim: perform induction on  $xs$ , but permit change of variable  $ys$  in IH

## Solving Second Problem – Arbitrary Variables

- solution: tell induction method which variables should be **arbitrary**  
 perform induction on  $x$  for arbitrary  $y$  and  $z$
- effect
  - $y$  and  $z$  can be freely instantiated in the IH
  - $y$  and  $z$  within induction proof have no connection to  $y$  and  $z$  outside induction proof

### Finalizing Proof of Previous Slide

```
have "rev_it xs ys = reverse xs @ ys"
proof (induction xs arbitrary: ys)
  case (Cons x xs ys) (* IH is: rev_it xs ?ys = reverse xs @ ?ys *)
  thus ?case by auto
qed auto
```

- for each case one chooses names of arguments of constructor **and arbitrary variables**
- after “arbitrary:” there can be several variable names

## Premises in Induction Proofs

- the induction method can also deal with goals containing premises, e.g.,  
 $A \ x \implies B \ y \implies C \ x \ y$
- whenever we are within **case** ( $CName \ \dots$ ):
  - $CName . IH$  refers to IH
  - $CName . prems$  refers to premises
- since premises weaken IHs, or make IHs more complex to apply, it sometimes is preferable to omit premises from property that is proven by induction

## Premises in Induction Proofs – Examples

```

have "A (x :: nat) ==> B y ==> C x y" proof (induction x)
  case (Suc x)
    (* annoying, "B y" is contained in IH *)
    thm Suc.prem1 - ⟨A (Suc x), B y⟩
    thm Suc.IH    - ⟨A x ==> B y ==> C x y⟩

assume "B y"
(* if y is not changed, move properties of y outside *)
have "A (x :: nat) ==> C x y" proof (induction x)
  case (Suc x)
    thm Suc.prem1 - ⟨A (Suc x)⟩
    thm Suc.IH    - ⟨A x ==> C x y⟩

have "A (x :: nat) ==> B y ==> C x y" proof (induction x arbitrary: y)
  case (Suc x y)
    (* since y is changed, cannot move "B y" outside *)
    thm Suc.prem1 - ⟨A (Suc x), B y⟩
    thm Suc.IH    - ⟨A x ==> B ?y ==> C x ?y⟩

```

## Controlling the Proof State and Isabelle's Simplifier

### The Simplifier

- applies (conditional) equations exhaustively; these equations are also called **simp rules**
- equations are always oriented left-to-right: given equation  $c \implies l = r$  and goal
  - try to find subterm  $l\sigma$  in goal and replace it by  $r\sigma$  provided that  $c\sigma$  simplifies to **True**
  - consequence: equation should satisfy that both  $c$  and  $r$  are somehow smaller than  $l$
  - examples
    - $n < m \implies (n < \text{Suc } m) = \text{True}$  might be used as simp rule
    - $\text{Suc } n < m \implies (n < m) = \text{True}$  will lead to non-termination
- boolean proposition **A** is implicitly considered as equation  $A = \text{True}$
- equations taken from implicit **simpset**
- certain commands (like **datatype** and **fun**) implicitly extend simpset

### Globally Modifying the Simpset

- globally add equation to simpset: **declare fact** [simp] or **lemma name** [simp]: ...
- globally delete simp rule from simpset: **declare fact** [simp del]

### Locally Modifying the Simpset within a Proof

- **note** [simp] = *facts*
- **note** [simp del] = *facts*

### Predefined Simpsets and Notable Simp Rules

- depending on proof goal, several standard simpsets and simp rules might be useful
- these are not used by default, since they can drastically change or blow-up your proof goal (exponential increase)
- **numeral\_eq\_Suc**: convert number literals into Suc-representation:  $1000 = \text{Suc}(\dots)$
- **Let\_def**: expand **lets**
- **ac\_simps**: use commutativity and associativity of operators
- **algebra\_simps**, **field\_simps**: add distributivity laws, etc.

## The simp Method – Using Simp Rules Automatically

- `simp` – apply simplifier to first subgoal
- `simp_all` – apply simplifier to all subgoals
- modifier `add: fact*` – locally add equation as simp rule or activate predefined simpset
- modifier `del: fact*` – locally delete simp rules from simpset
- modifier `only: fact*` – only use specified simp rules
- modifier `flip: fact*` – locally delete simp rules and add their symmetric versions

## Comparing simp and auto

- `auto` includes `simp` and `simp_all`, but also does classical reasoning
  - advantage: more powerful than `simp` (modifiers: `auto simp add: ...`)
  - disadvantages occur if `auto` does not completely solve a goal
    - might turn provable goal into **unprovable** one
    - new proof obligation might be **unreadable** (too many changes)
    - starting a structured proof after `auto` is **brittle**, since result of `auto` will easily change
- use `simp` to have more **control** over proof state

## Controlling Proof State – Unfolding Equations Explicitly

- `unfold fact+` – method that unfolds equations (similar to `simp only: fact+`)
- `unfolding fact+` – exhaustively use equations for simplification

## Controlling Proof State – Applying Single Equation

- `subst fact` – method that applies conditional equation and **adds conditions as new goals**

## A More Complete Grammar of Proofs

```
proof ::= prefix* sorry
      | prefix* by method method?
      | prefix* proof method? statement* qed method?
      | prefix* done final step, if no goals left

prefix ::= apply method
        | unfolding fact+
        | using fact+
```

- **apply** and **unfolding** are used for step-wise proof exploration

## Styles of Proofs

- structured proofs (Isar-proofs)
  - Isabelle/Isar
    - proof-language that was introduced here in this lecture
    - Isar: Intelligible semi-automated reasoning
    - PhD thesis of Makarius Wenzel
  - intermediate goals are explicitly stated
  - readable without inspecting proof state
- apply-style proofs (of form **apply\* done**)
  - traditional style of proofs (used in Coq, HOL-Light, ...)
  - sequence of proof methods (apply this method, then that, then ...)
  - readable if one inspects intermediate proof goals
- both styles have their own advantages; mixture is possible
- often: proof exploration via apply-style, then rewrite into Isar-style

## Demo

- soundness of insertion sort