



Interactive Theorem Proving using Isabelle/HOL

Session 7

René Thiemann

Department of Computer Science

- Inductive Definitions
- Rule Inversion and Rule Induction
- Sets in Isabelle

RT (DCS @ UIBK)

session 7

2/18

Inductive Definitions

Inductive Definitions

Definition Principles so Far

- **definition**
 - non-recursive definitions
 - no pattern matching on left-hand sides, form:
 - no simp-rules, but obtain defining equation:
- **fun** or **function**
 - recursive functions definitions including pattern matching on lhs
 - functions have to be terminating
 - obtain simp-rules and induction scheme

$$f\ x_1 \dots x_n = rhs$$
$$f_def: f\ x_1 \dots x_n = rhs$$

RT (DCS @ UIBK)

session 7

4/18

Purpose of Definition

- **definition** is the most primitive definition principle
- **definition** can be used formalize certain concepts
- after having derived interface-lemmas to concept, one might hide internal definition (in particular the defining equation is by default not added to simpset)
- many higher-level definition principles internally are based on **definition**
 - example: **function** uses some internal **definitions** which are hidden to user (demo)

Example: Injectivity

```

definition injective :: "('a ⇒ 'b) ⇒ bool" where
  "injective f = (∀x y. f x = f y → x = y)"

lemma injectiveI: "(∧ x y. f x = f y ⇒ x = y) ⇒ injective f"
  unfolding injective_def by auto

lemma injectiveD: "injective f ⇒ f x = f y ⇒ x = y"
  unfolding injective_def by auto (* hide injective_def at this point *)
    
```

Limits of definition and function

- restriction of **definition** and **function**: no capability to conveniently model potentially non-terminating processes
- consider datatype prog, modelling simple programming language with while-loops
- aim: define eval function, e.g., of type prog ⇒ state ⇒ state option, that returns state after complete evaluation of program or fails
- attempt 1: define eval via **function**
 - not possible, since termination is not provable (some programs are non-terminating)
- attempt 2: **fuel-based** approach (introduce some bounded resource to ensure termination)
 - first define eval_b :: nat ⇒ prog ⇒ state ⇒ state option, a bounded version of eval that restricts the number of loop-iterations
 - eval_b can be defined via **fun**
 - eval p s = (if ∃ n. eval_b n p s ≠ None then eval_b (SOME n. eval_b n p s ≠ None) p s else None)
 - reasoning with this fuel-based-approach is at least tedious

Solution: Inductive Predicates

model eval as **inductive predicate** of type prog ⇒ state ⇒ state ⇒ bool that correspond to standard inference rules of a big-step semantics

$$\frac{c \text{ is not satisfied in } s}{(while\ c\ P)\ s \xrightarrow{eval} s} \text{ (while-false)}$$

$$\frac{c \text{ is satisfied in } s \quad P\ s \xrightarrow{eval} t \quad (while\ c\ P)\ t \xrightarrow{eval} u}{(while\ c\ P)\ s \xrightarrow{eval} u} \text{ (while-true)}$$

⋮

(further rules for assignment, sequential composition, etc.)

Demo

modeling programming language semantics

Inductive Predicates in More Detail

- constant P :: 'a₁ ⇒ ... ⇒ 'a_n ⇒ bool is **n-ary predicate**
- **inductive predicate** P is inductively defined, that is, by inference rules
- meaning: input satisfies P iff witnessed by arbitrary (finite) application of inference rules
- syntax


```

inductive P :: "'a1 ⇒ ... ⇒ 'an ⇒ bool" where ...
      
```

 followed by |-separated list of propositions (inference rules)
- generated facts

P.intros	inference rules
P.cases	case analysis (rule inversion)
P.induct	induction (rule induction)
P.simps	equational definition

Odd Numbers, Inductively

- textual description
 - 1 is odd
 - if n is odd, then also $n + 2$ is odd
- inference rules

$$\frac{}{1 \text{ odd}} \quad \frac{n \text{ odd}}{n + 2 \text{ odd}}$$

- `inductive is_odd :: "nat ⇒ bool"`
 - `where`
 - `"is_odd 1"`
 - `| "is_odd n ⇒ is_odd (n + 2)"`

Rule Inversion and Rule Induction

Special Case – Inductively Defined Sets

- given set S , let χ_S be **characteristic function** such that $\chi_S(x)$ is true iff $x \in S$
- characteristic function is obviously predicate
- inductive sets are common special case and come with special syntax
`inductive_set S :: "'a1 ⇒ ... 'an ⇒ 'a set" for c1 ... cn where`

Example – Reflexive Transitive Closure

- (binary) relations encoded by type `('a × 'b) set`
- given relation R , reflexive transitive closure, often written R^* , given by $(x, y) \in R^*$ iff $x R x_1 R x_2 R \dots R x_n R y$ for arbitrary x_1, x_2, \dots, x_n (think: path in graph)
- `inductive_set star :: "('a × 'a) set ⇒ ('a × 'a) set" for R`
 - `where`
 - `refl [simp]: "(x, x) ∈ star R"`
 - `| step: "(x, y) ∈ R ⇒ (y, z) ∈ star R ⇒ (x, z) ∈ star R"`
- remark: one can label individual inference rules; these names will then be used for case-analyses, inductions, and as names of introduction rules (`star.step`)

Rule Inversion

- reasoning backwards “which rule could have been used to derive some fact”
- case analysis according to inference rules
- if inductive predicate/set is first of current facts, cases applies **rule inversion** implicitly
- otherwise, use “`cases rule: c.cases`” for inductively defined constant c

Demo – Zero is Not Odd

```
lemma is_odd0: "is_odd 0 = False" sorry
```

Rule Induction

- induction according to inference rules
- if inductive predicate/set is first of current facts, induction applies **rule induction** implicitly
- otherwise, use “`induction rule: c.induct`” for inductively defined constant `c`
- **case** names are taken from names of inference rules (if any, otherwise numbered)

Demo – If Number is Odd it’s Odd

- `lemma is_odd_odd: assumes "is_odd x" shows "odd x" sorry`
- remarks
 - `odd x` is just an abbreviation of `x` not being divisible by 2
 - in lemma-command one can explicitly assume facts (`assumes`) which are accessible by implicit label `assms`, before the goal statement is written after `shows`
 - further examples on `assumes` and `shows` are provided in lemmas `is_odd_odd3` and `star_trans1` in the demo theory

Demo – Reflexive Transitive Closure is Transitive

- `lemma star_trans:`
`assumes "(x, y) ∈ star R" and "(y, z) ∈ star R"`
`shows "(x, z) ∈ star R"`
`sorry`

More Information on Inductive Definitions

`isabelle doc isar-ref`

(chapter 11.1)

Sets in Isabelle

Sets in Isabelle

- type ‘`a set`’ for sets with elements of type ‘`a`’

Set Basics

- $x \in A$ – membership
- $A \cap B$ – intersection
- $A \cup B$ – union
- $\neg A$ – complement
- $A - B$ – difference
- $A \subseteq B$ and $A \subset B$ – subset
- $\{\}$ – empty set
- UNIV – universal set (all elements of specific type)
- $\{x\}$ – singleton set
- `insert x A` – insertion of single elements (`insert x A = {x} ∪ A`)
- $f ` A$ – image of function with respect to set (“map `f` over elements of `A`”)

Demo – Example Proof

```
lemma "A ∩ (B ∪ C) ⊆ (A ∩ B) ∪ (A ∩ C)"
```

No New Primitives Required

- several of the basic set operations could be defined inductively
- examples

```
inductive_set intersection :: "'a set ⇒ 'a set ⇒ 'a set" for A B where  
  "x ∈ A ⇒ x ∈ B ⇒ x ∈ intersection A B"
```

```
inductive_set disjunction :: "'a set ⇒ 'a set ⇒ 'a set" for A B where  
  "x ∈ A ⇒ x ∈ disjunction A B"  
| "x ∈ B ⇒ x ∈ disjunction A B"
```

```
inductive_set empty :: "'a set"
```

```
inductive_set Univ :: "'a set" where  
  "x ∈ Univ"
```

Further Operations on Sets

- `set` – convert list to set
- `Collect p` – convert predicate $p :: 'a \Rightarrow \text{bool}$ to set of type `'a set`
- `finite A` – is set finite?
- `card A :: nat` – cardinality of set (note: `card A = 0` whenever `A` is infinite)
- `sum f A` – $\sum_{x \in A} f(x)$ (note: `sum f A = 0` whenever `A` is infinite)
- `prod f A` – similar to `sum`, just product
- `Ball A p` – do all elements of `A` satisfy predicate `p`?
- `Bex A p` – does some element of `A` satisfy predicate `p`?
- `{x .. y}` – all elements between `x` and `y`

Syntax for Set Comprehension

- `{x . p x}` – same as `Collect p`
- `{t | x y. p x y}` – same as `{z. ∃ x y. t = z ∧ p x y}`
- example: `{ (x + 5, y) | x y. x < 7 ∧ odd y }`