



# Automata and Logic

Aart Middeldorp and Johannes Niederhauser

## Outline

### 1. Introduction

Organisation Contents

### 2. Basic Definitions

### 3. Deterministic Finite Automata

### 4. Intermezzo


### 5. Closure Properties

### 6. Further Reading

## Initial Remarks

- ▶ **Automata and Logic** is elective module 1 in master program Computer Science
- ▶ master students must select 3 out of 6 elective modules:
  - ① Automata and Logic
  - ② Constraint Solving (offered in 2025S)
  - ③ Cryptography
  - ④ High-Performance Computing
  - ⑤ Optimisation and Numerical Computation
  - ⑥ Signal Processing and Algorithmic Geometry
- ▶ other master modules with theory content (**Logic and Learning** specialization):
  - ▶ Program and Resource Analysis (WM 8)
  - ▶ Tree Automata (WM 9)
  - ▶ Semantics of Programming Languages (WM 7)
  - ▶ Quantum Computing (WM 8)
  - ▶ Research Seminar (WM 9)

VO is streamed and recorded

 with session ID **8020 8256** for anonymous questions





## Literature

- ▶ Dexter C Kozen  
**Automata and Computability**  
Springer-Verlag, 1997
- ▶ Javier Esparza and Michael Blondin  
**Automata Theory: An Algorithmic Approach**  
MIT Press, 2023
- ▶ Christel Baier and Joost-Pieter Katoen  
**Principles of Model Checking**  
MIT Press, 2008
- ▶ additional resources will be linked from course website



## Online Material

- ▶ access to slides and exercises is restricted to [uibk.ac.at](https://uibk.ac.at) domain
- ▶ solutions to selected exercises are available after they have been discussed in PS

## Outline

### 1. Introduction

Organisation      Contents

### 2. Basic Definitions

### 3. Deterministic Finite Automata

### 4. Intermezzo

### 5. Closure Properties

### 6. Further Reading

## Automata

- ▶ (**deterministic**, non-deterministic, alternating) **finite automata**
- ▶ regular expressions
- ▶ (alternating) Buchi automata
- ▶ tree automata

## Logic

- ▶ (weak) monadic second-order logic
- ▶ Presburger arithmetic
- ▶ linear-time temporal logic

## Outline

### 1. Introduction

### 2. Basic Definitions

### 3. Deterministic Finite Automata

### 4. Intermezzo

### 5. Closure Properties

### 6. Further Reading

## Definitions

- ▶ **alphabet** is finite set; its elements are called **symbols** or **letters**
- ▶ **string** over alphabet  $\Sigma$  is finite sequence of elements of  $\Sigma$
- ▶ **length**  $|x|$  of string  $x$  is number of symbols in  $x$
- ▶ **empty string** is unique string of length 0 and denoted by  $\epsilon$
- ▶  $\Sigma^*$  is set of all strings over  $\Sigma$  ( $\emptyset^* = \{\epsilon\}$ )
- ▶ **language** over  $\Sigma$  is subset of  $\Sigma^*$

## Examples

strings over  $\Sigma = \{0, 1\}$ :  $\emptyset$  0110  $\epsilon$

languages over  $\Sigma$ :

- ▶  $\{\epsilon, 0, 1, 00, 01, 10, 11\}$  (all strings having at most two symbols)
- ▶  $\{x \mid x \text{ is valid program in some machine language}\}$

## Definitions

- ▶ **string concatenation**  $x, y \in \Sigma^* \implies xy \in \Sigma^*$  is associative:  
 $(xy)z = x(yz)$  for all  $x, y, z \in \Sigma^*$

- ▶ empty string is **identity** for concatenation:

$$\epsilon x = x \epsilon = x \quad \text{for all } x \in \Sigma^*$$

- ▶  $x$  is **substring** (**prefix**, **suffix**) of  $y$  if  $y = uxv$  ( $y = xv$ ,  $y = ux$ )

- ▶  $x^n$  ( $x \in \Sigma^*$ ,  $n \in \mathbb{N}$ ):

$$x^0 = \epsilon \\ x^{n+1} = x^n x$$

- ▶  $\#a(x)$  ( $a \in \Sigma$ ,  $x \in \Sigma^*$ ) denotes number of  $a$ 's in  $x$

## Definitions

for  $A, B \subseteq \Sigma^*$

- ▶ **union**  $A \cup B = \{x \mid x \in A \text{ or } x \in B\}$
- ▶ **intersection**  $A \cap B = \{x \mid x \in A \text{ and } x \in B\}$
- ▶ **complement**  $\sim A = \Sigma^* - A = \{x \in \Sigma^* \mid x \notin A\}$
- ▶ **set concatenation**  $AB = \{xy \mid x \in A \text{ and } y \in B\}$
- ▶ **powers**  $A^n$  ( $n \in \mathbb{N}$ )  $A^0 = \{\epsilon\}$   $A^{n+1} = AA^n$
- ▶ **asterate**  $A^*$  is union of all finite powers of  $A$

$$A^* = \bigcup_{n \geq 0} A^n = \{x_1 x_2 \cdots x_n \mid n \geq 0 \text{ and } x_i \in A \text{ for all } 1 \leq i \leq n\}$$

- ▶  $A^+ = AA^* = \bigcup_{n \geq 1} A^n$

- ▶ **power set**  $2^A = \{Q \mid Q \subseteq A\}$

## Examples

- ▶ substrings of 011:  $\emptyset, 1, 01, 11, 011, \epsilon$
- ▶ prefixes of 011:  $\emptyset, 01, 011, \epsilon$
- ▶ suffixes of 011:  $1, 11, 011, \epsilon$
- ▶  $(011)^3 = 011011011 \neq 011^3$
- ▶  $\#1(011011011) = 6$   $\#0(\epsilon) = 0$
- ▶  $\{0, 10, 111\}\{1, 11\} = \{01, 101, 1111, 0111, 10111, 11111\}$
- ▶  $\{0, 01, 111\}\{1, 11\} = \{01, 011, 1111, 01111, 111111\}$
- ▶  $\{1, 01\}^3 = \{111, 0111, 1011, 01011, 1101, 01101, 10101, 010101\}$
- ▶  $\{1, 01\}^* = \{\epsilon, 1, 01, 11, 011, 101, 0101, 111, 0111, 1011, 01011, \dots\}$
- ▶  $2^{\{1, 01\}} = \{\emptyset, \{1\}, \{01\}, \{1, 01\}\}$

## Some Useful Properties


- ▶  $\{\epsilon\}A = A\{\epsilon\} = A$
- ▶  $\emptyset A = A\emptyset = \emptyset$
- ▶  $\sim(A \cup B) = (\sim A) \cap (\sim B)$
- ▶  $\sim(A \cap B) = (\sim A) \cup (\sim B)$
- ▶  $A^{m+n} = A^m A^n$
- ▶  $A^* A^* = A^*$
- ▶  $A^{**} = A^*$
- ▶  $A^* = \{\epsilon\} \cup AA^* = \{\epsilon\} \cup A^* A$
- ▶  $\emptyset^* = \{\epsilon\}$

## Outline

1. Introduction
2. Basic Definitions
3. Deterministic Finite Automata
4. Intermezzo
5. Closure Properties
6. Further Reading

## Example

DFA  $M = (Q, \Sigma, \delta, s, F)$



1  $Q = \{1, 2, 3, 4\}$

2  $\Sigma = \{a, b\}$

3  $\delta: Q \times \Sigma \rightarrow Q$

4  $s = 1$

5  $F = \{4\}$

$\delta$	a	b
1	2	1
2	2	3
3	4	1
4	4	4

$b a b a a \in L(M)$   
1 1 2 3 4 4

$a a b b b \notin L(M)$   
1 2 2 3 1 1

$L(M) = \{x \mid x \text{ contains } aba \text{ as substring}\}$

## Definitions

▶ **deterministic finite automaton (DFA)** is quintuple  $M = (Q, \Sigma, \delta, s, F)$  with

- ①  $Q$ : finite set of **states**
- ②  $\Sigma$ : **input alphabet**
- ③  $\delta: Q \times \Sigma \rightarrow Q$ : **transition function**
- ④  $s \in Q$ : **start state**
- ⑤  $F \subseteq Q$ : **final (accept) states**

▶  $\hat{\delta}: Q \times \Sigma^* \rightarrow Q$  is inductively defined by

$$\hat{\delta}(q, \epsilon) = q$$

$$\hat{\delta}(q, xa) = \delta(\hat{\delta}(q, x), a)$$

▶ string  $x \in \Sigma^*$  is **accepted** by  $M$  if  $\hat{\delta}(s, x) \in F$

▶ string  $x \in \Sigma^*$  is **rejected** by  $M$  if  $\hat{\delta}(s, x) \notin F$

▶ language accepted by  $M$ :  $L(M) = \{x \mid \hat{\delta}(s, x) \in F\}$

▶ set  $A \subseteq \Sigma^*$  is **regular** if  $A = L(M)$  for some DFA  $M$

# Outline

1. Introduction
2. Basic Definitions
3. Deterministic Finite Automata
- 4. Intermezzo**
5. Closure Properties
6. Further Reading

## Question

What is the language accepted by the DFA given by the following transition table ?

	a	b
→ 1	1	2
2 F	2	3
3	3	3

Here the arrow indicates the start state and  $F$  marks the final states.

- A**  $\{a^n b \mid n \in \mathbb{N}\}$
- B**  $\sim(\{a\}^* \{b\} \{a, b\}^*)$
- C** the set of strings over  $\{a, b\}$  containing exactly one  $b$
- D** the set of strings over  $\{a, b\}$  that do not contain two or more  $b$ 's



# Outline

1. Introduction
2. Basic Definitions
3. Deterministic Finite Automata
4. Intermezzo
- 5. Closure Properties**
6. Further Reading


## Theorem

regular sets are **effectively** closed under **intersection**

## Proof (product construction)

- ▶  $A = L(M_1)$  for DFA  $M_1 = (Q_1, \Sigma, \delta_1, s_1, F_1)$   
 $B = L(M_2)$  for DFA  $M_2 = (Q_2, \Sigma, \delta_2, s_2, F_2)$
- ▶  $A \cap B = L(M_3)$  for DFA  $M_3 = (Q_3, \Sigma, \delta_3, s_3, F_3)$  with
  - ①  $Q_3 = Q_1 \times Q_2 = \{(p, q) \mid p \in Q_1 \text{ and } q \in Q_2\}$
  - ②  $F_3 = F_1 \times F_2$
  - ③  $s_3 = (s_1, s_2)$
  - ④  $\delta_3((p, q), a) = (\delta_1(p, a), \delta_2(q, a))$  for all  $p \in Q_1, q \in Q_2, a \in \Sigma$
- ▶ claim:  $\widehat{\delta}_3((p, q), x) = (\widehat{\delta}_1(p, x), \widehat{\delta}_2(q, x))$  for all  $x \in \Sigma^*$   
proof of claim: easy induction on  $|x|$  (on next slide)

## Example



$$L(M_3) = L(M_1) \cap L(M_2)$$

## Proof of Claim

claim:  $\widehat{\delta}_3((p, q), x) = (\widehat{\delta}_1(p, x), \widehat{\delta}_2(q, x)) \quad \forall x \in \Sigma^*$

► base case:  $|x| = 0$  and thus  $x = \epsilon$

$$\widehat{\delta}_3((p, q), x) = (p, q) = (\widehat{\delta}_1(p, x), \widehat{\delta}_2(q, x))$$

► induction step:  $|x| > 0$  and thus  $x = ya$  with  $|y| = |x| - 1$

$$\begin{aligned} \widehat{\delta}_3((p, q), x) &= \delta_3(\widehat{\delta}_3((p, q), y), a) && \text{(definition of } \widehat{\delta}_3) \\ &= \delta_3((\widehat{\delta}_1(p, y), \widehat{\delta}_2(q, y)), a) && \text{(induction hypothesis)} \\ &= (\delta_1(\widehat{\delta}_1(p, y), a), \delta_2(\widehat{\delta}_2(q, y), a)) && \text{(definition of } \delta_3) \\ &= (\widehat{\delta}_1(p, x), \widehat{\delta}_2(q, x)) && \text{(definition of } \widehat{\delta}_1 \text{ and } \widehat{\delta}_2) \end{aligned}$$

## Theorem

regular sets are **effectively** closed under **complement**


## Proof

►  $A = L(M_1)$  for DFA  $M_1 = (Q_1, \Sigma, \delta_1, s_1, F_1)$

►  $\sim A = \Sigma^* - A = L(M_2)$  for DFA  $M_2 = (Q_2, \Sigma, \delta_2, s_2, F_2)$  with

- ①  $Q_2 = Q_1$
- ②  $\delta_2(q, a) = \delta_1(q, a) \quad \forall q \in Q_2 \quad \forall a \in \Sigma$
- ③  $s_2 = s_1$
- ④  $F_2 = Q_1 - F_1$

## Example



$$L(M'_3) = \sim L(M_3)$$

## Theorem

regular sets are **effectively** closed under **union**

### Proof (explicit construction)

▶  $A = L(M_1)$  for DFA  $M_1 = (Q_1, \Sigma, \delta_1, s_1, F_1)$

$B = L(M_2)$  for DFA  $M_2 = (Q_2, \Sigma, \delta_2, s_2, F_2)$

▶  $A \cup B = L(M_3)$  for DFA  $M_3 = (Q_3, \Sigma, \delta_3, s_3, F_3)$  with


①  $Q_3 = Q_1 \times Q_2 = \{(p, q) \mid p \in Q_1 \text{ and } q \in Q_2\}$

②  $F_3 = (F_1 \times Q_2) \cup (Q_1 \times F_2)$

③  $s_3 = (s_1, s_2)$

④  $\delta_3((p, q), a) = (\delta_1(p, a), \delta_2(q, a)) \quad \forall p \in Q_1 \quad \forall q \in Q_2 \quad \forall a \in \Sigma$

## Example



## Outline

1. Introduction
2. Basic Definitions
3. Deterministic Finite Automata
4. Intermezzo
5. Closure Properties
6. Further Reading

## Kozen

- ▶ Lectures 1–4

### Important Concepts

- ▶ alphabet
- ▶ language
- ▶ regular set
- ▶ closure properties
- ▶ product construction
- ▶ string
- ▶ DFA

homework for October 11

### Solutions

- ... must be uploaded (PDF format) in OLAT **before 7 am on Friday**
- ... bonus exercises give **bonus points**