



# Automata and Logic

**Aart Middeldorp** and Samuel Frontull

# Outline

- 1. Summary of Previous Lecture**
- 2. Minimization**
- 3. Intermezzo**
- 4. Weak Monadic Second-Order Logic**
- 5. Further Reading**

## Definitions

- ▶ **regular expression**  $\alpha$  over alphabet  $\Sigma$ :

$$a \in \Sigma$$

$$\epsilon$$

$$\emptyset$$

$$\beta + \gamma$$

$$\beta\gamma$$

$$\beta^*$$

- ▶ set of strings  $L(\alpha) \subseteq \Sigma^*$  matched by regular expression  $\alpha$ :

$$L(a) = \{a\}$$

$$L(\emptyset) = \emptyset$$

$$L(\beta\gamma) = L(\beta)L(\gamma)$$

$$L(\epsilon) = \{\epsilon\}$$

$$L(\beta + \gamma) = L(\beta) \cup L(\gamma)$$

$$L(\beta^*) = L(\beta)^*$$

- ▶ regular expressions  $\alpha$  and  $\beta$  are **equivalent** ( $\alpha \equiv \beta$ ) if  $L(\alpha) = L(\beta)$

## Theorem

finite automata and regular expressions are **equivalent**:

for all  $A \subseteq \Sigma^*$   $A$  is regular  $\iff A = L(\alpha)$  for some regular expression  $\alpha$

## Definitions

- ▶ **homomorphism** is mapping  $h: \Sigma^* \rightarrow \Gamma^*$  such that  $h(\epsilon) = \epsilon$  and  $h(xy) = h(x)h(y)$
- ▶ if  $A \subseteq \Sigma^*$  then  $h(A) = \{h(x) \mid x \in A\} \subseteq \Gamma^*$  "image of  $A$  under  $h$ "
- ▶ if  $B \subseteq \Gamma^*$  then  $h^{-1}(B) = \{x \mid h(x) \in B\} \subseteq \Sigma^*$  "preimage of  $B$  under  $h$ "

## Theorem

regular sets are effectively closed under **homomorphic image** and **preimage**

## Theorem

problems

instance: DFA  $M$  and string  $x$

question:  $x \in L(M)$  ?

instance: DFA  $M$

question:  $L(M) = \emptyset$  ?

instance: DFAs  $M$  and  $N$

question:  $L(M) = L(N)$  ?

are decidable

## Automata

- ▶ (deterministic, nondeterministic, alternating) **finite automata**
- ▶ regular expressions
- ▶ (alternating) Büchi automata

## Logic

- ▶ **(weak) monadic second-order logic**
- ▶ Presburger arithmetic
- ▶ linear-time temporal logic


# Outline

1. Summary of Previous Lecture
- 2. Minimization**
3. Intermezzo
4. Weak Monadic Second-Order Logic
5. Further Reading


## Example 1



$$\begin{array}{lll}
 A = \{1\} & C = \{1, 3\} & E = \{1, 3, 4\} \\
 B = \{1, 2\} & D = \{1, 2, 4\} & F = \{1, 4\}
 \end{array}$$




not minimal:




## Example ②

DFA




not **minimal**: states 2 and 3 can be collapsed





## Example ③

DFA



## Definitions

DFA  $M = (Q, \Sigma, \delta, s, F)$

- ▶ state  $p$  is **inaccessible** if  $\widehat{\delta}(s, x) \neq p$  for all  $x \in \Sigma^*$
- ▶ states  $p$  and  $q$  are **distinguishable** if

$$(\widehat{\delta}(p, x) \in F \wedge \widehat{\delta}(q, x) \notin F) \vee (\widehat{\delta}(p, x) \notin F \wedge \widehat{\delta}(q, x) \in F)$$

for some  $x \in \Sigma^*$

## Minimization Algorithm

DFA  $M = (Q, \Sigma, \delta, s, F)$

- ① remove inaccessible states
- ② for every two different states determine whether they are distinguishable (**marking**)
- ③ **collapse** indistinguishable states

## Marking Algorithm

given DFA  $M = (Q, \Sigma, \delta, s, F)$  without inaccessible states

- ① tabulate all unordered pairs  $\{p, q\}$  with  $p, q \in Q$ , initially unmarked
- ② mark  $\{p, q\}$  if  $p \in F$  and  $q \notin F$  or  $p \notin F$  and  $q \in F$
- ③ repeat until no change:  
mark  $\{p, q\}$  if  $\{\delta(p, a), \delta(q, a)\}$  is marked for some  $a \in \Sigma$


## Notation

$p \approx q \iff$  states  $p$  and  $q$  are indistinguishable

## Lemma

$p \approx q \iff \{p, q\}$  is unmarked

## Example



1

✓ 2

✓ 3

✓ ✓ ✓ 4

✓ ✓ ✓ 5


✓ ✓ ✓ ✓ ✓ 6

① final/nonfinal states are distinguishable

②  $\{2, 6\} \xrightarrow{a} \{4, 6\}$   $\{3, 6\} \xrightarrow{a} \{5, 6\}$

③  $\{1, 4\} \xrightarrow{a} \{2, 6\}$   $\{1, 5\} \xrightarrow{a} \{2, 6\}$

collapse states 2 and 3 and states 4 and 5:



## Definition

states  $p$  and  $q$  of DFA  $M = (Q, \Sigma, \delta, s, F)$  are **indistinguishable** ( $p \approx q$ ) if for all  $x \in \Sigma^*$

$$\hat{\delta}(p, x) \in F \iff \hat{\delta}(q, x) \in F$$

## Lemma

$\approx$  is **equivalence relation** on  $Q$ :

- ①  $\forall p \in Q \quad p \approx p$  (reflexivity)
- ②  $\forall p, q \in Q \quad p \approx q \implies q \approx p$  (symmetry)
- ③  $\forall p, q, r \in Q \quad p \approx q \wedge q \approx r \implies p \approx r$  (transitivity)

## Notation

$[p]_{\approx} = \{q \in Q \mid p \approx q\}$  denotes **equivalence class** of  $p$

## Definition (Collapsing Indistinguishable States)

DFA  $M/\approx$  is defined as  $(Q', \Sigma, \delta', s', F')$  with

- ▶  $Q' = \{[p]_{\approx} \mid p \in Q\}$
- ▶  $\delta'([p]_{\approx}, a) = [\delta(p, a)]_{\approx}$       **well-defined:**  $p \approx q \implies \delta(p, a) \approx \delta(q, a)$
- ▶  $s' = [s]_{\approx}$
- ▶  $F' = \{[p]_{\approx} \mid p \in F\}$

## Lemma

①  $\hat{\delta}'([p]_{\approx}, x) = [\hat{\delta}(p, x)]_{\approx}$  for all  $x \in \Sigma^*$

②  $p \in F \iff [p]_{\approx} \in F'$

for all  $p \in Q$

## Theorem

$$L(M/\approx) = L(M)$$

## Proof

$$x \in L(M/\approx) \iff \hat{\delta}'([s]_{\approx}, x) \in F' \iff [\hat{\delta}(s, x)]_{\approx} \in F' \iff \hat{\delta}(s, x) \in F \iff x \in L(M)$$

## Question


is  $M/\approx$  minimum-state DFA for  $L(M)$  ?

## Lemma

$M/\approx$  cannot be collapsed further

## Example

DFA for set of strings over  $\{a, b\}$  containing at least three occurrences of three consecutive  $b$ 's, overlapping permitted:



$a$   
 $\checkmark b$   
 $\checkmark \checkmark c$   
 $\checkmark \checkmark \checkmark d$   
 $\checkmark \checkmark \checkmark \checkmark e$   
 $\checkmark \checkmark \checkmark \checkmark \checkmark f$   
 $\checkmark \checkmark \checkmark \checkmark \checkmark g$   
 $\checkmark \checkmark \checkmark \checkmark \checkmark \checkmark h$   
 $\checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark i$   
 $\checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark j$   
 $\checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark k$   
 $\checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark l$

states  $d, g$  and  $h, k$  can be merged




# Outline

1. Summary of Previous Lecture
2. Minimization
- 3. Intermezzo**
4. Weak Monadic Second-Order Logic
5. Further Reading

## Question

Which statements about the following DFA  $A$  are true ?



- A** the DFA is minimal
- B** states 2 and 3 are distinguishable
- C**  $L(A) = L(a^*ba^*)$
- D** all states can be merged



# Outline

1. Summary of Previous Lecture
2. Minimization
3. Intermezzo
- 4. Weak Monadic Second-Order Logic**
5. Further Reading

## Definitions

- ▶ first-order variables  $V_1 = \{x, y, \dots\}$  ranging over natural numbers
- ▶ second-order variables  $V_2 = \{X, Y, \dots\}$  ranging over finite sets of natural numbers
- ▶ formulas of **weak monadic second-order logic**

$$\varphi ::= \perp \mid x < y \mid X(x) \mid \neg \varphi \mid \varphi_1 \vee \varphi_2 \mid \exists x. \varphi \mid \exists X. \varphi$$

with  $x, y \in V_1$  and  $X \in V_2$

## Abbreviations

$$\varphi \wedge \psi := \neg(\neg\varphi \vee \neg\psi)$$

$$\forall x. \varphi := \neg \exists x. \neg \varphi$$

$$x \leq y := \neg(y < x)$$

$$\top := \neg \perp$$

$$X(0) := \exists x. X(x) \wedge x = 0$$

$$\varphi \rightarrow \psi := \neg \varphi \vee \psi$$

$$\forall X. \varphi := \neg \exists X. \neg \varphi$$

$$x = y := x \leq y \wedge y \leq x$$

$$x = 0 := \neg \exists y. y < x$$

## Remarks

- ▶  $X(x)$  represents  $x \in X$
- ▶ MSO is weak MSO without restriction to finite sets

## Examples

- ▶  $(\forall x. X(x) \rightarrow Y(x)) \wedge (\exists y. \neg X(y) \wedge Y(y))$
- ▶  $\exists X. (\forall x. x = 0 \rightarrow X(x)) \wedge (\forall x. X(x) \rightarrow \exists y. x < y \wedge X(y))$
- ▶  $\exists X. X(0) \wedge (\forall y. \forall z. \textcolor{red}{z} = \textcolor{red}{y} + \textcolor{red}{1} \wedge z \leq x \rightarrow (X(y) \leftrightarrow \neg X(z))) \wedge X(x) \iff x \text{ is even}$

## Remark

$z = y + 1$  abbreviates  $y < z \wedge \neg \exists x. (y < x \wedge x < z)$

## Definitions

- ▶ assignment  $\alpha$  is mapping from variables  $x \in V_1$  to  $\mathbb{N}$  and  $X \in V_2$  to **finite** subsets of  $\mathbb{N}$
- ▶ assignment  $\alpha$  **satisfies** formula  $\varphi$  ( $\alpha \models \varphi$ ):

$$\alpha \not\models \perp$$

$$\alpha \models x < y \iff \alpha(x) < \alpha(y)$$

$$\alpha \models X(x) \iff \alpha(x) \in \alpha(X)$$

$$\alpha \models \neg \varphi \iff \alpha \not\models \varphi$$

$$\alpha \models \varphi_1 \vee \varphi_2 \iff \alpha \models \varphi_1 \text{ or } \alpha \models \varphi_2$$

$$\alpha \models \exists x. \varphi \iff \alpha[x \mapsto n] \models \varphi \quad \text{for some } n \in \mathbb{N}$$

$$\alpha \models \exists X. \varphi \iff \alpha[X \mapsto N] \models \varphi \quad \text{for some finite subset } N \subset \mathbb{N}$$

## Definitions

- ▶ formula  $\varphi$  is **satisfiable** if  $\alpha \models \varphi$  for some assignment  $\alpha$
- ▶ formula  $\varphi$  is **valid** if  $\alpha \models \varphi$  for all assignments  $\alpha$
- ▶ **model** of formula  $\varphi$  is assignment  $\alpha$  such that  $\alpha \models \varphi$
- ▶ **size** of model  $\alpha$  is smallest  $n$  such that
  - ①  $\alpha(x) < n$  for  $x \in V_1$
  - ②  $\alpha(X) \subseteq \{0, \dots, n-1\}$  for  $X \in V_2$

## Examples

- |                                                                                                                                |               |
|--------------------------------------------------------------------------------------------------------------------------------|---------------|
| ▶ $(\forall x. X(x) \rightarrow Y(x)) \wedge (\exists y. \neg X(y) \wedge Y(y))$                                               | satisfiable   |
| ▶ $(\forall x. x = 0 \rightarrow X(x)) \wedge (\forall x. X(x) \rightarrow \exists y. x < y \wedge X(y))$                      | unsatisfiable |
| ▶ $(\exists x. X(x) \wedge \exists y. X(y) \wedge x \neq y) \wedge (\forall x. X(x) \rightarrow \exists y. Y(y) \wedge x < y)$ | satisfiable   |

## Definition

given alphabet  $\Sigma$  and string  $x = a_0 \cdots a_{n-1} \in \Sigma^*$

- ▶ second-order variables  $V_2 = \{P_a \mid a \in \Sigma\}$
- ▶  $\alpha_x(P_a) = \{i < n \mid a_i = a\}$

## Notation

$x$  for  $\alpha_x$

## Example

$\Sigma = \{a, b\}$

- ▶ abba( $P_a$ ) =  $\{0, 3\}$
- ▶ abba( $P_b$ ) =  $\{1, 2\}$



## Example

$$\Sigma = \{a, b\}$$

$$\triangleright \varphi = \forall x. \neg (P_a(x) \wedge P_b(x))$$

$$\underline{x} \models \varphi \text{ for all } x \in \Sigma^*$$

$$\triangleright \psi = \forall x. \forall y. (P_a(x) \wedge P_b(y)) \rightarrow x < y$$

$$\underline{aabbb} \models \psi \quad \underline{aabab} \not\models \psi$$

$$\triangleright \chi = \forall x. P_b(x) \rightarrow \exists y. P_a(y) \wedge y < x$$

$$\underline{aaaaa} \models \chi \quad \underline{babab} \not\models \chi$$

## Definitions

- ▶ given alphabet  $\Sigma$  and WMSO formula  $\varphi$  with free variables (exclusively) in  $\{P_a \mid a \in \Sigma\}$

$$L(\varphi) = \{x \in \Sigma^* \mid \underline{x} \models \varphi\}$$

- ▶ set  $A \subseteq \Sigma^*$  is **WMSO definable** if  $A = L(\varphi)$  for some WMSO formula  $\varphi$

## Examples

$$\Sigma = \{a, b\}$$

- ▶ regular set  $L((a + b)^*ab(a + b)^*)$  is WMSO definable by formula

$$\exists x. \exists y. P_a(x) \wedge P_b(y) \wedge x < y \wedge \neg \exists z. x < z \wedge z < y$$

- ▶ WMSO formula

$$\exists x. P_a(x) \wedge \forall y. x < y \rightarrow \neg (P_a(y) \vee P_b(y))$$

defines regular set  $\{xa \mid x \in \Sigma^*\}$

## Theorem

set  $A \subseteq \Sigma^*$  is regular if and only if  $A$  is WMSO definable

# Outline

1. Summary of Previous Lecture
2. Minimization
3. Intermezzo
4. Weak Monadic Second-Order Logic
- 5. Further Reading**

- ▶ Lectures 13 and 14

## Important Concepts

- ▶  $\alpha \models \varphi$
- ▶ indistinguishable states
- ▶ minimization algorithm
- ▶ model
- ▶ MSO
- ▶ satisfiability
- ▶ validity
- ▶ weak monadic second-order logic (WMSO)
- ▶ WMSO definability

homework for October 31